

S-VENUS

BSW-DC-FSV-05

Product features:

1. Use High-end die-cast aluminum forming, with high-end, atmosphere, and oxidation treatment design appearance, Impact and high temperature resistance, excellent corrosion resistance.
2. High lumen LED chips: Philips chips more than 120LM/watt.
3. With intelligent power regulation, automatic judgment of weather, reasonable planning of charge and discharge.
4. With IP65 waterproof IP grade, can work in water in a short time.
5. Very easy disassemble, install, transportation and maintain, save freight charge and labor cost.
6. Lamp color be riotous with color.


Product description:





Lamp view




Optional color













Dimension (mm)




① HZ-DJ-AJX-A01-A001




⑤ HZ-DJ-AJX-A01-A005




② HZ-DJ-AJX-A01-A002




⑥ HZ-DJ-AJX-A01-A006






③ HZ-DJ-AJX-A01-A003



⑦ HZ-DJ-AJX-A01-A007





④ HZ-DJ-AJX-A01-A004



Serial number	Name	Number	Quantity
1	Upper cover	HZ-DJ-AJX-A01-A001	1
2	Chip board	HZ-DJ-AJX-A01-A002	1
3	Waterproof rubber ring	HZ-DJ-AJX-A01-A003	1
4	Lens plate	HZ-DJ-AJX-A01-A004	1
5	M4 screw	HZ-DJ-AJX-A01-A005	9
6	Bottom cover	HZ-DJ-AJX-A01-A006	1
7	M5 screw	HZ-DJ-AJX-A01-A007	8

Light distribution:



Parameters (DC)

LED lamp power	20W	30W	40W	50W	60W
LED type	Philips	Philips	Philips	Philips	Philips
Lighting mode	Light control	Light control	Light control	Light control	Light control
Light Luminous	120LM/W	120LM/W	120LM/W	120LM/W	120LM/W
LED efficiency	>90%	>90%	>90%	>90%	>90%
IP grade	IP65	IP65	IP65	IP65	IP65
LED lamp size	500*200*63mm	500*200*63mm	500*200*63mm	500*200*63mm	500*200*63mm
Lamp weight	2.3kgs	2.3kgs	2.3kgs	2.3kgs	2.3kgs
Package size	51.5*15.5*22.5cm	51.5*15.5*22.5cm	51.5*15.5*22.5cm	51.5*15.5*22.5cm	51.5*15.5*22.5cm
Package weight	2.4kgs	2.4kgs	2.4kgs	2.4kgs	2.4kgs
Warranty time	3 years	3 years	3 years	3 years	3 years

Parameters (AC)

LED lamp power	20W	30W	40W	50W	60W
LED type	Philips	Philips	Philips	Philips	Philips
Lighting mode	Driver	Driver	Driver	Driver	Driver
Light Luminous	120LM/W	120LM/W	120LM/W	120LM/W	120LM/W
LED efficiency	>90%	>90%	>90%	>90%	>90%
IP grade	IP65	IP65	IP65	IP65	IP65
Input voltage	100-250V	100-250V	100-250V	100-250V	100-250V
LED lamp size	500*200*63mm	500*200*63mm	500*200*63mm	500*200*63mm	500*200*63mm
Lamp weight	2.3kgs	2.3kgs	2.3kgs	2.3kgs	2.3kgs
Package size	51.5*15.5*22.5cm	51.5*15.5*22.5cm	51.5*15.5*22.5cm	51.5*15.5*22.5cm	51.5*15.5*22.5cm
Package weight	2.4kgs	2.4kgs	2.4kgs	2.4kgs	2.4kgs


Package Details



Light Pole



Light distribution diagram



Applicable place:

